Ankle Stabilizer

Application Instructions

1. Operate 2. Pos 3. Wra aro she str

Figure 1 - Open ankle stirrup

Figure 2 - Position heel on center pad



Figure 3 - Center side shells along ankle and leg

- 1. Open ankle stirrup so gel and closed cell foam are facing upward.
- 2. Position the heel evenly on the center pad.
- 3. Wrap the lower hook and loop closure strap around the ankle for alignment. Center the side shells along the ankle and the leg. Wrap the upper strap and adjust if necessary.
- 4. Apply pressure to the sides of the therapeutic gel bag to allow even flow of pressure within the plastic shell. Tighten lower and upper straps for a secure fit and for patient comfort.
- 5. Adjust the vertical side straps, placing both hands on straps, pulling upward until desired fit.
- 6. Secure vertical side straps with hook and loop closure.

Note: The Ankle Stabilizer should be worn over a piece of stockinette or a thin cotton sock. Consult your physician for further instruction on application and treatment.



Figure 4 - Apply pressure to sides of gel bag for even flow of pressure



Figure 5 - Adjust vertical side straps

PRECAUTIONS

- Patients should always consult their physician or therapist for proper therapy instructions prior to using the therapeutic ankle support system.
- Always wear an absorbent sock before cold therapy is applied.
- Outer shell may be wiped with mild soap and water.
- If using for cold therapy, remove bladders and place in freezer.










Figure 6 - Secure straps

ANKLE SPRAINS

Suggested Initial Treatment and Exercise Program

The Injury

An ankle sprain is the stretching or tearing of the ligaments that hold the ankle joint together.

Consult your
physician or
therapist for
instruction on
treatment



Suggested Rehabilitation Protocol for Ankle Sprains


- **REST** the *Ankle Stabilizer* helps support the stretched ligaments
- ICE the *Ankle Stabilizer* helps alleviate pain, swelling and bruising
- **COMPRESSION** the *Ankle Stabilizer* helps provide immobilization
- ELEVATION keep foot elevated as often as possible to help reduce swelling and pain


Common Exercises


EVERSION - Sit on the floor or chair parallel to the door. Position exercise band* around foot and between door. Rotate ankle out and up while keeping heel on the ground.


DORSI-FLEXION - Sit on the floor or chair. Position exercise band* on top of foot and between door. Flex foot upward while keeping heel on the ground.


HEEL LIFTS - Stand on both feet slowly rising onto the balls of the feet. With the same motion, bring the heels back down.











INVERSION - Sit on the floor or chair parallel to the door. Position exercise band* around foot and between door. Rotate ankle in and up while keeping heel on the ground.

PLANTAR-FLEXION -

Sitting on a chair, position exercise band* on bottom of foot. Grab opposite end with your hand. With your heel on the ground, press your foot down.

Consult your physician or therapist for further instruction on treatment and exercise program.

* Please note the latex free exercise band is not included and is available from your physician, therapist or medical supply store.